

Peinture anti ondes hautes et basses fréquences HSF54 Yshield (1 ou 5 litres)

56,91 € TTC

Référence HSF54



YSHIELD® HSF54

Peinture écran anti-ondes universelle HSF54 (1 ou 5 litres) pour une protection optimale contre les champs électriques de hautes et basses fréquences (HF+BF). Peinture acrylique A+ au carbone graphite. Nécessite une mise à la terre. Couleur noire, qui se recouvre en finition par des peintures classiques. Efficace sur la 5G jusqu'à 40 GHz.

Domaine: Blindage électromagnétique


Technologie: HF (Hautes Fréquences)

Accessoire: Non

Atténuation à 1 GHz (en dB): 44-60

Utilisation principale MEO blindage: Recouvrable (peinture)


Conditionnement: 1 litre, 5 litres




YSHIELD® GROUNDING



YSHIELD® HSF54



YSHIELD® HSF54



GP1 + GL20 + GS3



YSHIELD® HSF54

ZERTIFIKAT ♦ CERTIFICATE ♦ CERTIFICADO ♦ CERTIFICAT



CERTIFICATE

YSHIELD GmbH & Co. KG
Rothofer Straße 1 · D-94099 Ruhstorf
have voluntarily subjected their product

HSF 54

to inspection and testing according to the
TUV SUD Test Standard TM 07
Dispersion Plants 'Issue 12-2019'

The examination has furnished proof that the standard mentioned
above is fulfilled in its entirety.



YSHIELD GmbH & Co. KG are granted the right to use the
TUUV Mark ↔ Low emission, Pollutant tested and Production monitored ↔
according to contract.

This certificate is valid until: 11.08.2024
Certificate-Nr.: TM-07 / 210811-2
Munich, 11.08.2021

Dirk Tahaer
Dirk Tahaer
Department Analytical Chemistry

TUUV SUD Industrie Service GmbH · Röhrenstraße 65 · 83339 München